

From: [Gold, Ruth \(DEM\)](#)
To: [Lancey, Susan](#)
Cc: [Bird, Patrick](#); [St. Amand, Stephen \(DEM\)](#); [Delsesto, David \(DEM\)](#); [Whitney, Aleida \(DEM\)](#)
Subject: Medrecycler response
Date: Friday, February 7, 2020 10:45:29 AM
Attachments: [1131-Pyrolysis unit specification NK MS final edit figures checked.docx](#)

Susan,

I have attached the response I received from Medrecycler concerning more information specifically about the pyrolysis itself. The application itself was not put together with the same level of experience that we are used to seeing from some applicants. Specifically the proposed facility did not hire an environmental consultant to assist with the application, and has relied on the vendor to provide the information. I would have expected that the owners of an installation such as this, would have the knowledge of the difficulties encountered trying to site these facilities, and would have hired an environmental consultant with lots of experience in RI.

If this is not up to the level of detail you expect, please don't hesitate to let me know. If you want my opinion, I feel that they should have been more convincing in their response, and I also think I have seen that diagram on the internet before and I don't feel it's 100% representative of what they are actually proposing.

Have a good weekend,

Ruth A. Gold

Supervisor – Permitting

Office of Air Resources

RI Dept. of Environmental Management

235 Promenade Street

Providence, RI 02908

Tel: 401-222-2808, Ext. 7110

Web: <http://www.dem.ri.gov/programs/air/>

From: Nicholas Campanella <nick@sunpacificpower.com>

Sent: Thu, 02/06/20 3:09 PM

To: Gold, Ruth (DEM) <ruth.gold@dem.ri.gov>

Cc: Nicholas Campanella <nick@sunpacificpower.com>

Subject: [EXTERNAL] : Re: Draft Permit

Ruth

Please find the attached response and diagram from our manufacturer as requested for your review and presentation, if anything else is needed please let me know so we can address and be able to move forward on our permit.